

LW 8000-BI

Screen systems

BASS:	1 x 15" bass units LW1001LF
TREBLE:	1 Line Array System with 2 x 6" + 2 x 1" drivers LW7501HF with passive filter inside
HORN:	2 x Isophasic ABS horns, 120° x 8° each. With pan/tilt adjustment
POWER:	Bass system, 250W AES/500W Prg. 8 ohm. Medium/treble system 310W AES/620W Prg. 4 ohm.
SENSITIVITY:	LF unit: 100dB/1W/1m. - SPL 127dB - SPL 130dB with musical criteria MHF unit: 95dB/1W/1m. - SPL 120 dB - SPL 123 dB with musical criteria
FREQUENCY RESPONSE:	39/22.000 Hz. For the biamp cut off frequency, please use our LW 8080 processor, which is delivered with all necessary presets, or a single crossover working at 200Hz.
SIZE:	143,7 x 68 x 42,2 cm.
WEIGHT:	



A screen system including LAT2014 (Line Array Technology), which combines professional compression drivers with true isophasic horns to achieve an extreme -3dB coverage throughout the whole audience area. 1 x 15" bass section plus a middle-treble section with Line Array Technology and 2 x 6" medium drivers plus 2 x 1" compression drivers + 2 x isophasic horns. We strongly recommend this model as the natural replacement to our discontinued products LW 2203-BI and LW 5115-BI.

